

Electrical Load Report

No	Device Name	Watts	Voltage	Amps	Pf	Phase Used	X	Y	Z	X-N	Y-N	Z-N	N
1	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
2	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
3	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
4	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
5	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
6	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
7	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
8	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
9	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
10	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
11	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
12	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
13	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
14	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
15	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
16	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
17	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
18	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
19	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
20	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
21	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
22	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
23	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
24	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
25	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
26	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				

Qty of Device: 90 130500 W 120/208V 922.7 A 3-Ph 307.6 A 307.6 A 307.6 A A A A 0 A

Total Amps X: 532.7 A Total Amps Y: 532.7 A Total Amps Z: 532.7 A

Electrical Load Report

No	Device Name	Watts	Voltage	Amps	Pf	Phase Used	X	Y	Z	X-N	Y-N	Z-N	N
27	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
28	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
29	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
30	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
31	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
32	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
33	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
34	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
35	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
36	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
37	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
38	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
39	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
40	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
41	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
42	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
43	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
44	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
45	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
46	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
47	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
48	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
49	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
50	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
51	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
52	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						

Qty of Device: 90	130500 W	120/208V	922.7 A	3-Ph	307.6 A	307.6 A	307.6 A	A	A	A	0 A
Total Amps X: 532.7 A			Total Amps Y: 532.7 A			Total Amps Z: 532.7 A					

Electrical Load Report

No	Device Name	Watts	Voltage	Amps	Pf	Phase Used	X	Y	Z	X-N	Y-N	Z-N	N
53	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
54	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
55	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
56	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
57	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
58	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
59	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
60	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
61	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
62	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
63	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
64	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
65	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
66	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
67	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
68	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
69	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
70	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
71	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
72	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
73	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
74	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
75	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
76	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
77	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
78	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					

Qty of Device: 90	130500 W	120/208V	922.7 A	3-Ph	307.6 A	307.6 A	307.6 A	A	A	A	0 A
--------------------------	-----------------	-----------------	----------------	-------------	----------------	----------------	----------------	----------	----------	----------	------------

Total Amps X: 532.7 A

Total Amps Y: 532.7 A

Total Amps Z: 532.7 A

Electrical Load Report

No	Device Name	Watts	Voltage	Amps	Pf	Phase Used	X	Y	Z	X-N	Y-N	Z-N	N
79	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
80	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
81	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
82	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
83	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
84	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
85	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
86	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
87	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					
88	MAC 2000 Performance	1450 W	208	10.25 A	.68	X-Y	10.3 A						
89	MAC 2000 Performance	1450 W	208	10.25 A	.68	Z-X			10.3 A				
90	MAC 2000 Performance	1450 W	208	10.25 A	.68	Y-Z		10.3 A					

Qty of Device: 90	130500 W	120/208V	922.7 A	3-Ph	307.6 A	307.6 A	307.6 A	A	A	A	0 A
Total Amps X: 532.7 A			Total Amps Y: 532.7 A			Total Amps Z: 532.7 A					